Carbohydrate Research, 247 (1993) C1–C2
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Aeed, P.A. 291
Ahmad, T. 211, 217
Albersheim, P. 9
Alföldi, J. 329
Altman, E. 347
Andersson, R. 211, 217
Auzanneau, F.-I. 195

Baumann, H. 347
Bischoff, M. 111
Brade, H. 145
Brimacombe, J.S. 341
Bundle, D.R. 195, 347

Cottaz, S. 341

D'Ambra, A.J. 299
Darvill, A.G. 9
Defaye, J. 329
Diánez, M.J. 239
Duben, A.J. 71

Elhammer, Å.P. 291
Estrada, M.D. 239

Feist, H. 315
Ferguson, M.A.J. 341
Fernández, R. 239
Forgó, P. 129
French, A.D. 51
Fuentes-Mota, J. 165
Fujii, N. 337

Galbraith, L. 249
Gasch, C. 239
Gómez-Sánchez, A. 239
Gray, G.R. 299
Gurjar, M.K. 309
Györgydeák, Z. 305

Harata, K. 83
Hashimoto, H. 179
Haupt, E.T.K. 119
Hicks, K.B. 1
Hollander, T. 291
Holst, O. 145
Hotchkiss, Jr., A.T. 1
Hricovini, M. 71
Huang, D.-b. 37

Jakab, S. 99
Jane, J.-l. 279
Jarchow, O. 119
Jeffrey, G.A. 37
Jiang, L. 63

Kajihara, Y. 179
Kates, K.A. 9
Kitaoka, M. 355
Kobayashi, N. 337
Kodama, H. 179
Köll, P. 111, 119, 315
Koller, A.L. 9
Kong, F. 63
Kopf, J. 111, 119
Kovács, I. 99
Krülle, T. 145

Leontein, K. 255
Li, G. 63
Linek, K. 329
Liu, J. 63
López-Barba, E. 165
López Castro, A. 239
Luger, P. 305

Maness, N.O. 21
Molina Molina, J. 165
Morf, M. 111, 119
Mort, A.J. 21
Mouhous-Riou, N. 51

Ogawa, S. 355
Olea, D.P. 165
Olsson, K. 211, 217
O'Neill, M.A. 9

Oscarson, S. 323

Pérez-Garrido, S. 239
Pérez, S. 51
Peseke, K. 315
Pitha, J. 83
Pusztahelyi, Z.Sz. 99

Qiu, F. 21

Rao, C.T. 83
Rendleman, Jr., J.A. 223
Robina, I. 165

Sasaki, K. 337
Sato, K.-i. 179
Schmidt, R.R. 145, 159
Shen, J.J. 279
Spiro, M.D. 9
Srinivas, N.R. 309
Sugiyama, H. 337
Szilágyi, L. 99, 129

Tajiri, A. 337
Taniguchi, H. 355
Temple, G.S. 249
Theander, O. 211
Tidén, A.-K. 323
Toepfer, A. 159
Tvaroška, I. 71

Vílchez, J.E. 239
Volpi, N. 263

Wakabayashi, T. 179
Westerlund, E. 217
Widmalm, G. 255
Wilkinson, S.G. 249
Winn, A.M. 249

Yokoyama, T. 337

Zimmer, B. 111, 119

Carbohydrate Research, 247 (1993) C3–C5
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

2-Acetamido-2-deoxy monosaccharides, determination of proton–proton distances from ^{1}H NMR relaxation measurements in solution, 129

N-Acetyllactosamine derivatives, a convenient synthesis from lactal, 159

Agaraose-gel electrophoresis, qualitative and quantitative analysis of "fast moving" and "slow moving" heparins, dermatan sulfate, and chondroitin sulfate by, 263

2-Amino-2-deoxyaldoses, a route to higher, by lengthening of the carbon chain of sugars by the $CH(NO_2) \cdot CH(OEt)_2$ fragment, 239

1,2-Anhydro-3,4,6-tri-*O*-benzyl-β-D-talopyranose, the crystal structure and conformational analysis of substituted 2,7-dioxabicyclo-[4,1,0]heptanes, 63

Anion-exchange chromatography, high-performance, analysis of pectate lyase-generated oligogalacturonic acids by, with pulsed amperometric detection, 1

Antigen from *Xanthomonas maltophilia* O19, structure of the, 249

O-Antigen fragment, controlled acid hydrolysis of, yields univalent heptasaccharide haptens containing one 3,6-dideoxyhexose epitope, 347

O-Antigen polysaccharide, structural studies of the *Escherichia coli* O127, 255

Branched-chain sugars, use of methiniminium salts in syntheses of, 315

Carba-disaccharide α-D-mannosidase inhibitor, an imino-linked, 341

5a-Carba-glucopyranose, a cellobiose phoporylase from *Cellvibrio gilvus* recognizes only the β-D-form of, 355

Carbon chain of sugars, a route to higher 2-amino-2-deoxyaldoses by lengthening by the $CH(NO_2) \cdot CH(OEt)_2$ fragment, 239

Cellobiose phosphorylase, from *Cellvibrio gilvus* recognizes only the β-D-form of 5a-carba-glucopyranose, 355

Chlorodeoxy trisaccharides related to the *Shigella flexneri* Y polysaccharide, synthesis of, 195

CMP-D-Neu5Ac-D-galactoside-(2 → 6)-α-D-sialyltransferase, rat liver, characterization of inhibitory activities and binding mode of synthetic 6′-modified methyl *N*-acetyl-β-D-lactosaminide toward, 179

Conformational analysis of methyl β-xylobioside, the: effect of choice of potential functions, 71

Corn syrup solids by means of cyclododecanone as selective complexant, enhanced production of γ-cyclodextrin from, 223

Crystal and molecular structure of threitol, 119

Crystal and molecular structure of 2,3,4-tri-*O*-acetyl-β-D-arabinopyranosyl azide, 305

Crystal and molecular structures of four heptitol heptaacetates, 111

Crystal structure of 6-*O*-[(*R*)-2-hydroxypropyl]- and 6-*O*-[(*S*)-2-hydroxypropyl]-cyclomaltoheptaose, 83

γ-Cyclodextrin from corn syrup solids by means of cyclododecanone as selective complexant, enhanced production of, 223

3-Deoxy-2-octulosonic acid derivatives and characterization of their 3-deoxyoctitols, synthesis of, 145

3,6-Dideoxyhexose epitope, controlled acid hydrolysis of an O-antigen fragment yields univalent heptasaccharide haptens containing one, 347

Diglycosylamines in the arabinose, mannose, and rhamnose series, structure of glycosylamines and, 329

2,3-Dihydroxyacetophenone, formation from pentoses or hexuronic acids, 211

2,7-Dioxabicyclo[4,1,0]heptanes, the crystal structure and conformational analysis of substituted, 1,2-anhydro-3,4,6-tri-*O*-benzyl-β-D-talopyranose, 63

Endopolygalacturonase, purification and characterization of biologically active (1 → 4)-

linked α-D-oligogalacturonides after partial digestion of polygalacturonic acid with, 9
Enhanced production of γ-cyclodextrin from corn syrup solids by means of cyclododecanone as selective complexant, 223
Escherichia coli O127 O-antigen polysaccharide, structural studies of the, 255

β-L-Fucopyranosyl and β-L-rhamnopyranosyl isothiocyanate, synthesis of 2,3,4-tri-*O*-benzoyl-, 165

Gas–liquid chromatography with flame-ionization detection, molar-response factors for the quantitative analysis of fully methylated methyl 2-acetamido-2-deoxyhexopyranosides by, 299
Gelatinization, internal structure of the potato starch granule revealed by chemical, 279
Glycosaminoglycans, qualitative and quantitative analysis by agarose-gel electrophoresis, 263
Glycosides of 3,6-di-*O*- and 3,4-di-*O*-α-D-mannopyranosyl-α-D-mannopyranose, syntheses of octyl and tetradecyl, 323
Glycosylamines and diglycosylamines in the arabinose, mannose, and rhamnose series, structure of, 329

Haptens, heptasaccharide, controlled acid hydrolysis of an O-antigen fragment yields univalent, containing one 2,6-dideoxyhexose epitope, 347
Heparins (fast moving and slow moving), dermatan sulfate, and chondroitin sulfate, qualitative and quantitative analysis by agarose-gel electrophoresis, 263
Heptakis (2,6-di-*O*-methyl)cyclomaltoheptaose complex in water, revised structure of the pyrene-1-carboxylic acid–, 337
Heptitol heptaacetates, the crystal and molecular structures of four, 111
Hexuronic acids or pentoses, formation of 2,3-dihydroxyacetophenone from, 211
Hexuronic acids or pentoses, formation of reductic acid from, 217
High-performance anion-exchange chromatography, analysis of pectate lyase-generated oligogalacturonic acids by, with pulsed amperometric detection, 1
6-*O*-[(*R*)-2-Hydroxypropyl]- and 6-*O*-[(*S*)-2-hydroxypropyl]-cyclomaltoheptaose, crystal structure, 83

Imino-linked carba-disaccharide α-D-mannosidase inhibitor, an, 341

Lactal, a convenient synthesis of *N*-acetyllactosamine derivatives from, 159
β-D-Lactosaminide, synthetic 6′-modified methyl *N*-acetyl-, characterization of inhibitory activities toward rat liver CMP-D-Neu5Ac-D-galactoside-(2 → 6)-α-D-sialyltransferase, 179
Lengthening of the carbon chain of sugars by the $CH(NO_2) \cdot CH(OEt)_2$ fragment, a route to higher 2-amino-2-deoxyaldoses by, 239
(1 → 4)-Linked α-D-oligogalacturonides, purification and characterization of biologically active, after partial digestion of polygalacturonic acid with endopolygalacturonase, 9
Lipo-oligosaccharide from *Mycobacterium linda*, synthesis of the terminal trisaccharide unit of the, 309

Mannopyranosides, a new route for 2,4-di-*O*-protection of, 323
Mannopyranosyl-α-D-mannopyranose, syntheses of octyl and tetradecyl glycosides of 3,6-di-*O*- and 3,4-di-*O*-α-D-, 323
α-D-Mannosidase inhibitor, an imino-linked carba-disaccharide, 341
Methiniminium salts, syntheses of branched-chain sugars with, 315
Methyl β-xylobioside, the conformational analysis of: effect of choice of potential functions, 71
Microscopic protonation constants in tobramycin, an NMR and pH study with the aid of partially *N*-acetylated derivatives, 99
Molecular and crystal structures of four heptitol heptaacetates, 111
Molecular and crystal structure of threitol, 119
Molecular and crystal structure of 2,3,4-tri-*O*-acetyl-β-D-arabinopyranosyl azide, 305
Mycobacterium linda, synthesis of the terminal trisaccharide unit of the lipo-oligosaccharide from, 309

NMR and pH study of microscopic protonation constants in tobramycin, with the aid of partially *N*-acetylated derivatives, 99
NMR relaxation measurements in solution, determination of proton–proton distances in 2-acetamido-2-deoxy monosaccharides, 129
Nystose, computer modeling, 51
Nystose trihydrate: crystal structure analysis and hydrogen bonding, 37
2-Octulosonic acid derivatives, synthesis of 3-deoxy-, and characterization of their 3-deoxyoctitols, 145
Oligogalacturonic acids, analysis of pectate lyase-generated, by high-performance anion-exchange chromatography with pulsed amperometric detection, 1

Oligosaccharide structures on bee venom phospholipase A_2, characterization of, 291

Pectin, determination of the pattern of methyl esterifications in. Distributions of contiguous nonesterified residues, 21
Pentoses or hexuronic acids, formation of 2,3-dihydroxyacetophenone from, 211
Pentoses or hexuronic acids, formation of reductic acid from, 217
Phospholipase A_2, bee venom, characterization of the oligosaccharide structures on, 291
Phosphorylase, a cellobiose, from *Cellvibrio gilvus* recognizes only the β-D-form of 5a-carba-glucopyranose, 455
Polygalacturonic acid, purification and characterization of biologically active (1 → 4)-linked α-D-galacturonides after partial digestion of, with endopolygalacturonase, 9
Polysaccharide from *Escherichia coli* O127, structural studies of the O-antigenic, 255
Polysaccharide, *Shigella flexneri* Y, synthesis of chlorodeoxy trisaccharides related to the, 195
Potato starch granule, internal structure revealed by chemical gelatinization, 279
Proton–proton distances in 2-acetamido-2-deoxy monosaccharides, determination from ^1H NMR relaxation measurements in solution, 129
Pyrene-1-carboxylic acid–heptakis (2,6-di-*O*-methyl)cyclomaltoheptaose complex in water, revised structure of the, 337

Reductic acid, formation from pentoses or hexuronic acids, 217
β-L-Rhamnopyranosyl and β-L-fucopyranosyl isothiocyanate, synthesis of 2,3,4-tri-*O*-benzoyl-, 165
β-Rhamnopyranosylenamines, synthesis of partially protected, 165

O-Specific polymer from *Xanthomonas maltophilia* O19, structure of the, 249
Starch granule, internal structure of potato, revealed by chemical gelatinization, 279
Structure of glycosylamines and diglycosylamines in the arabinose, mannose, and rhamnose series, 329
Syntheses of branched-chain sugars with methiniminium salts, 315
Synthesis of chlorodeoxy trisaccharides related to the *Shigella flexneri* Y polysaccharide, 195

Tetrasaccharide nystose, computer modeling, 51
Tetrasaccharide nystose trihydrate: crystal structure analysis and hydrogen bonding, 37
Threitol, the crystal and molecular structure of, 119
Tobramycin, an NMR and pH study of microscopic protonation constants with the aid of partially *N*-acetylated derivatives, 99
2,3,4-Tri-*O*-acetyl-β-D-arabinopyranosyl azide, crystal and molecular structure, 305
Trisaccharide unit of the lipo-oligosaccharide from *Mycobacterium linda*, synthesis of the terminal, 307
Trisaccharides, chlorodeoxy, related to the *Shigella flexneri* Y polysaccharide, synthesis of, 195

Xanthomonas maltophilia, structure of the O19 antigen of, 249